

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	L1	2012256	@pd>"20051001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>2</b>	L2	1938	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>3</b>	L3	1486	((106/31.27) or (106/31.28) or (106/31.6)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>4</b>	L4	6450	((347/68) or (347/86) or (347/100)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>5</b>	L5	2284	((524/577) or (524/560)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>6</b>	L6	219	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>7</b>	L7	138	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>8</b>	L9	689	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>9</b>	L10	41	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>10</b>	L11	89580	styrene and (acrylate or methacrylate or \$4ylacrylate or \$4ylmethacrylate) and (acrylic adj acid or methacrylic adj acid or vinylpyridine or vinyl adj pyridine or (trimethylammonium or trimethyl adj ammonium) adj2 acrylate or (diallylmethylammoni um or diallylmethyl adj ammonium or diallyl adj methyl adj ammonium) adj chloride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>11</b>	L12	124	11 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>12</b>	L17	37	11 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>13</b>	L15	95	11 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>14</b>	L16	24	11 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>15</b>	L18	2077	1 and ink and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>16</b>	L19	241	18 and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>17</b>	L20	339	1 and (inkjet or ink).ti. and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
18	L22	53986	styrene same (acrylate or methacrylate or \$4ylacrylate or \$4ylmethacrylate) same (acrylic adj acid or methacrylic adj acid or vinylpyridine or vinyl adj pyridine or (trimethylammonium or trimethyl adj ammonium) adj2 acrylate or (diallylmethylammoni um or diallylmethyl adj ammonium or diallyl adj methyl adj ammonium) adj chloride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L23	729	ink and 22 same (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L25	599	ink and 22 and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L26	1775	ink and 22 same (ts or "t.sub.s" or softening adj (temperature or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>22</b>	L29	3655	ink and 22 and (ts or "t.sub.s" or softening adj (temperature or point)) and (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>23</b>	L30	481	ink and 22 and (ts or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>24</b>	L24	91	23 and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>25</b>	L28	189	23 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>26</b>	L31	265	ink and 22 same (ts! or "t.sub.s" or softening adj (temperature or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>27</b>	L32	46	23 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>28</b>	L33	228	ink and 22 and (ts! or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>29</b>	L34	599	ink and 22 and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>30</b>	L36	7	18 and @ad<"20000127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>31</b>	L37	82	34 and @ad<"20000127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>32</b>	L39	141	st! near2 (ba! or bma! or ma! or mma! or ea! or ema!) near2 (aa! or maa!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>33</b>	L40	43	39 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
34	L41	4004	styrene near2 (acrylate or methacrylate or \$4ylacrylate or \$4ylmethacrylate) near2 (acrylic adj acid or methacrylic adj acid or vinylpyridine or vinyl adj pyridine or (trimethylammonium or trimethyl adj ammonium) adj2 acrylate or (diallylmethylammoni um or diallylmethyl adj ammonium or diallyl adj methyl adj ammonium) adj chloride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L42	1239	ink and 41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	L43	1938	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L44	89	42 and 43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>38</b>	L45	467	ink and 22 and 43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>39</b>	L46	55	45 and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>40</b>	L49	0	("2002/0111395").URP N.	USPAT
<b>41</b>	L47	18	45 and (ts! or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>42</b>	L48	243	45 and (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>43</b>	L50	44	hexyl adj acrylate near5 (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>44</b>	L51	2	("6274646").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>45</b>	L52	1	51 and emulsion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
46	L53	583	ink and 11 and (ts or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter) and (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L54	212	ink and 22 and (ts! or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter) and (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	L55	249	ink and 11 and (ts! or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter) and (tg or "t.sub.g" or glass adj transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	L56	37	55 not 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>50</b>	L57	228	ink and 22 and (ts! or "t.sub.s" or softening adj (temperature or point)) and volume adj average near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>51</b>	L58	18	57 and @ad<"20000127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB